


TC Type



TC type

- The sectional view on the right shows the typical profile of the seal type.
- Please refer to page 25 for the respective advantages and disadvantages of Types B and C.
- Check the guide to allowable operating conditions on pages 10 and 11 for relevant information on the seal selected before use.
- If there is an "※" at the end of the part number, as this indicates that an SUS spring specification is available, we ask that you refer to the introduction on SUS spring specifications on page 149.

■ When ordering, please indicate the NOK part number and the relevant dimensions.
Order Example NOK Part Number: AE 0829 A0
 Type: TC, Shaft diameter: 18, Outside diameter: 35, Width: 8

Dimensions			Part Number			
Shaft diameter d	Outside diameter D	Width b	Nitrile (NBR) <small>shaft diameter of 150 mm or less: A727 shaft diameter over 150 mm: A941</small>	Acrylic (ACM) T303	Silicon (VMQ) S728	Fluorocarbon (FKM) F585
18	35	8	AE 0829 A0	—	AE 0829 A2	—
18	35	9	AE 0831 E0	—	—	—
18	38	7	AE 0838 E0	—	—	—
19	32	8	AE 0870 E0 ※	—	—	—
19	35	7	AE 0874 E1	—	—	—
19	35	8	AE 0875 A0	—	—	—
19	36	7	AE 0879 E0	—	—	—
19	38	7	AE 0880 E0	—	—	—
19	38	10	AE 0881 E0	—	—	—
20	30	7	AE 0984 H0	—	—	—
20	32	6	AE 0995 E0	—	—	—
20	32	8	AE 0997 E0 ※	—	—	—
20	34	7	AE 1003 E2	—	—	—
20	35	7	AE 1012 G0	AE 1012 J0	—	—
20	35	8	AE 1013 A4	AE 1013 E0	AE 1013 A2	AE 1013 F2
20	35	10	AE 1015 F0	—	—	—
20	36	7	AE 1017 F0	—	AE 1017 G1	—
20	37	7	AE 1020 E1	—	—	—
20	37	9	AE 1022 E1	—	—	—
20	37	10	AE 6758 E0	—	—	—
20	38	7	AE 1024 F0	—	—	—
20	40	7	AE 1029 E0	—	—	—
20	40	8	AE 1030 E1 ※	—	—	—
20	40	9	AE 1031 E0	—	—	—
20	40	10	AE 1032 G0	—	—	—
20	40	11	AE 1033 A0	—	—	—
20	42	8	AE 1037 E0	—	—	—
20	44	12	AE 1042 E0	—	—	—
20	45	8	AE 1043 E1	—	—	—
20	45	12	AE 1045 E0	—	—	—
21	38	8	AE 1089 E0	—	—	—
21	40	7	AE 1092 E2	—	—	—
22	35	8	AE 1127 E0	—	—	—
22	38	8	AE 1133 E0	AE 1133 F0	—	—
22	40	9	—	AE 1139 E0	—	—
22	40	11	AE 1141 E0	—	—	—
22	42	7	AE 1145 E0	—	—	—
22	42	10	AE 1147 E0 ※	—	—	—
22	42	11	AE 1148 A5	—	AE 1148 A2	—
23	42	11	AE 1224 A0	—	—	—
24	38	8	AE 1252 E0	—	—	—
24	38	10	AE 1255 E1	—	—	—
24	40	8	AE 1260 A0	AE 1260 A1	—	—
24	45	7	AE 1265 E3	—	—	—
24	45	10	AE 1266 E0	—	—	—